



Additional risk assessment and method statement for Coronavirus (COVID-19)

Frame Factory

*Additional risk assessment and method statement for
Coronavirus (COVID-19)*

Prepared by: **Paul Furness**

File No. **A3** Revision: **0**

Printed 13/05/2020 13:47

May 2020

Risk Assessment



Contract:	Frame Factory , Additional risk assessment and method statement for Coronavirus (COVID-19)				RA	115	
Task / Activity:	Contact with people during the Coronavirus (COVID-19) pandemic - Factory Operations						
Date Conducted:	7 May 2020	Review by Date:	As required	Date Reviewed:	11 May 2020	Revision:	1

	Task/Hazard	Hazard Effect	At Risk	Controls to reduce the risks	Severity	Probability	Risk Score	Risk Rating	Completed
115	Frame manufacturing - it is not possible for factory operatives to work from home.	Contracting Coronavirus (COVID-19). Passing on Coronavirus (COVID-19).	Fabricators Supervisors Goods-in Visitors	<ul style="list-style-type: none"> Phased return of staff numbers. Meet and greet operatives on first day, issue memo on updated procedures, create an open discussion - serves as an induction. Engage with the workforce and listen to suggestions regarding their individual needs at work. Keeping everyone up to date with changes etc - use notice board near clock-in area. Identifying those with increased risks or anxieties. Management and supervision - to ensure new controls are adhered to. Initiate implementation checklist with actions and timescales. Review the layout of the factory, and decide on one-way system, bespoke traffic routes and no-go areas. Mark areas around workstations where possible to keep people distanced from each other. Construct barrier/screen where distancing measures can't be met. Set up local hand sanitising station for those entering the factory and when leaving. Encourage/instruct operatives to wash hands more frequently, especially before/after breaks and wc visits. Limit the number of people in smaller areas such as wc. One-way system into the factory, with marked floors to maintain distance. Control the number people entering the factory so that they have time to wash hands upon entering. Reduce numbers in the canteen area, spread tables and mark the floor. Eliminate or reduce the need to work face to face - consider altering workstations, barriers etc. Keep those working close together doing the same task. Stagger break-times. 	5	2	10	Med	Yes

RA_115_Coronavirus_Frame Factory_v1	Authorised: Paul Furness	Signed:	Dated: 11 May 2020
-------------------------------------	---------------------------------	----------------	---------------------------

Risk Assessment



	Task/Hazard	Hazard Effect	At Risk	Controls to reduce the risks	Severity	Probability	Risk Score	Risk Rating	Completed
				<ul style="list-style-type: none"> • Encourage outside breaks - make sure distancing is followed (mark-out Armco barrier, 2m intervals). • Remove refrigerator and microwave to avoid the spread. • Put up appropriate signage, on the floor and around the building. <ul style="list-style-type: none"> ○ No entry ○ 2m distancing ○ One-way system ○ Entrance/Exit only ○ One person in this area ○ Hand wash advice sign • Increased cleaning for canteen/wc and factory - especially at the end of the working day. • Encourage/enforce better housekeeping from operatives. • Soap and spray available to clean frames between stations/operations • Eliminate/reduce the sharing of tools (sanitise if having to share). • Issue COVID-19 specific PPE at the handwash stations • Review first aid measures, location, and procedures. • Review and convey general emergency evacuation procedures. • Review system if there is an outbreak of coronavirus within the factory. • Ensure that operatives know what to do if they think they have developed any symptoms whilst at work. • Regular review of RA and implementation. 					

RA_115_Coronavirus_Frame Factory_v1	Authorised: Paul Furness	Signed: 	Dated: 11 May 2020
-------------------------------------	--------------------------	---	--------------------